

- [Change Region](#)
 - [Chauvet USA](#)
- [Product Filter](#)
- [Quick Product Find](#)
 - [Amhaze II](#)
 - [Amhaze Stadium](#)
 - [Amhaze Whisper](#)
 - [ArKaos Media Master Express](#)
 - [C6](#)
 - [COLORado 1 Quad Zoom](#)
 - [COLORado 1 Solo](#)
 - [COLORado 1-Quad Zoom Tour](#)
 - [COLORado 1-Quad Zoom VW](#)
 - [COLORado 1-Tri IP](#)
 - [COLORado 1-Tri Tour](#)
 - [COLORado 2 Quad Zoom](#)
 - [COLORado 2 Solo](#)
 - [COLORado 3 Solo](#)
 - [COLORado Batten 72 Tour](#)
 - [COLORDash Accent Quad](#)
 - [COLORDash Batten-Quad 12](#)
 - [COLORDash PAR H12IP](#)
 - [COLORDash Par H7IP](#)
 - [COLORDash Par Q12 IP](#)
 - [COLORDash Par-Hex 12](#)
 - [COLORDash Par-Hex 7](#)
 - [COLORDash Par-Quad 18](#)
 - [COLORDash Par-Quad 7](#)
 - [COLORDash S-Par 1](#)
 - [CT-APP](#)
 - [Data Stream 4](#)
 - [DMX3F5M](#)
 - [DMX5F3M](#)
 - [EPIX Bar Tour](#)
 - [EPIX Drive 2000 IP](#)
 - [EPIX Drive 900](#)
 - [EPIX Strip IP](#)
 - [EPIX Strip IP 50](#)
 - [EPIX Strip Tour](#)
 - [EPIX Strip Tour 50](#)
 - [F3](#)
 - [F4](#)
 - [Maverick MK Paxis](#)
 - [Maverick MK1 Hybrid](#)
 - [Maverick MK1 Spot](#)
 - [Maverick MK2 Profile](#)
 - [Maverick MK2 Spot](#)
 - [Maverick MK2 Wash](#)
 - [Maverick MK3 Wash](#)
 - [MR UPLOAD](#)
 - [Net-Switch](#)
 - [Net-X](#)
 - [Ovation B-1965FC](#)
 - [Ovation B-2805FC](#)
 - [Ovation B-565FC](#)
 - [Ovation C-805FC](#)
 - [Ovation E-160WW](#)
 - [Ovation E-260WW / E-260CW](#)
 - [Ovation E-260WW IP](#)
 - [Ovation E-910FC](#)
 - [Ovation E-930VW](#)
 - [Ovation ED-190WW](#)
 - [Ovation Ellipsoidal 15°-30° Lens Tube](#)
 - [Ovation Ellipsoidal HD Lens Tubes](#)
 - [Ovation Ellipsoidal HD Zoom Lenses](#)
 - [Ovation F 6.25" Barndoor](#)
 - [Ovation F 7.5" Barndoor](#)
 - [Ovation F-165WW](#)
 - [Ovation F-265WW](#)
 - [Ovation F-55FC](#)
 - [Ovation F-55WW](#)
 - [Ovation F-915FC](#)
 - [Ovation F-915VW](#)
 - [Ovation F-95WW](#)
 - [Ovation FD-165WW](#)
 - [Ovation FTD-55WW](#)
 - [Ovation GR-1 IP](#)
 - [Ovation H-605FC](#)
 - [Ovation Min-E-10CW](#)
 - [Ovation Min-E-10WW](#)
 - [Ovation SP-300CW](#)
 - [PowerStream 4](#)
 - [Premium Haze Fluid \(PHF\)](#)
 - [PVP Rig Kit](#)
 - [PVP X3](#)
 - [PVP X6IP](#)
 - [PVPX-MH](#)

- [RB-X200CM](#)
- [RDM2go](#)
- [Rogue R1 Beam](#)
- [Rogue R1 FX-B](#)
- [Rogue R1 Spot](#)
- [Rogue R1 Wash](#)
- [Rogue R1X Spot](#)
- [Rogue R2 Beam](#)
- [Rogue R2 Spot](#)
- [Rogue R2 Wash](#)
- [Rogue R2X Spot](#)
- [Rogue R3 Spot](#)
- [Rogue R3 Wash](#)
- [Rogue RH1 Hybrid](#)
- [STRIKE 1](#)
- [STRIKE 4](#)
- [Synapse 4](#)
- [Vesuvio II](#)
- [VIP Media Server Pro](#)
- [VIP Media Server Pro 2](#)
- [WELL Com](#)
- [WELL Fit](#)

Toggle Menu

[CHAUVET Professional](#)

Toggle Menu

Search

- [About](#)
- [Products](#)
 - [What's New](#)
 - [Moving Heads](#)
 - [Ellipsoids](#)
 - [Fresnels](#)
 - [Static Wash Lights](#)
 - [Pixel Mapping](#)
 - [Strobes & Blinders](#)
 - [UV Technology](#)
 - [Wireless Battery](#)
 - [Exterior](#)
 - [LED Video](#)
 - [Atmospherics](#)
 - [Control & Distribution](#)
 - [Batten & Cyclorama Lights](#)
 - [Accessories](#)
- [Sales Network](#)
- [News](#)
- [Support](#)
 - [Warranty](#)
 - [Downloads](#)
 - [Showroom/Tradeshows](#)
 - [Training & Resources](#)
- [Contact Us](#)
- [Blog](#)

[Previous](#)[Next](#)

Rogue R1 Wash

Rogue R1 Wash distinguishes itself by offering a combination of performance features unique to its price class. Powered by seven RGBW 15 W quad-LEDs, this bright and versatile moving wash zoom fixture features a unique “bubble” lens design for excellent color rendering and stunning visual effects. Other standout features include an incredible 11° to 48° zoom angle, incredibly fast and smooth pan and tilt movements, simple and complex DMX channel profiles, plus 3-pin and 5-pin DMX connectors. Versatility, value and performance make this fixture a welcome addition to any touring rig or permanent installation. Learn more at chauvetrogue.com.



YouTube 5K +

[At a Glance](#)
[Specifications](#)
[Downloads](#)
[Gallery](#)
[Related Products](#)

At a Glance

7 RGBW LEDs, 15 W each

3- and 5-pin DMX input/output connections

Unique lens design for excellent color blending

Fast, smooth pan and tilt movement

6 distinct dimming modes for advanced control

Omega mounting bracket, fits all Rogue, Next, and Legend fixtures

Easy to read OLED display with simple, effective menu options

Simple and complex DMX channel profiles for programming versatility

Specifications

Optical

- Light Source: 7 LEDs (quad-color RGBW) 15 W, (980 mA), 50,000 hours life expectancy
- Color Temperature (range): 2800 to 10000 K
- Beam Angle: 8° to 30°
- Field Angle: 11° to 48°
- Zoom Angle: 11° to 48°
- Illuminance (11°): 3,098 lux @ 5 m
- Illuminance (48°): 299 lux @ 5 m
- PWM Frequency: 1,200 Hz

Dynamic Effects

- Pan and Tilt: 540°/230°
- Pan and Tilt Ranges: 180°, 360°, 540° pan/90°, 180°, 230° tilt
- Dimmer: Electronic
- Shutter/Strobe: Electronic
- Zoom: Motorized
- Strobe Rate: 0 to 20 Hz
- Standalone Color Mixing: Yes
- Color Temperature Presets: Yes
- Dim Curves: 4
- Built-in Automated Programs: Yes
- Customizable Programs: No
- Recall Custom Programs: No

Construction / Physical

- Dimensions: 7.36 x 10.43 x 13.94 in (187 x 265 x 354 mm)
- Weight: 13 lb (5.9 kg)
- Exterior Color: Black
- Housing Material: High-impact flame-retardant polymer

Connections

- Power Connection: Bare End to Neutrik powerCON
- Power Input: Neutrik powerCON
- Power Output: Neutrik powerCON
- Data Connectors: 3- and 5-pin XLR
- Cable Length (power): 5 ft (1.5 m)

Control

- Control Protocol: DMX
- DMX Channels: 14, 15, 19 or 21
- Modes/Personalities: 4 personalities (14CH, 15CH, 19CH, or 21CH)

Electrical

- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power Linking: 10 units @ 120 V; 18 units @ 208 V; 21 units @ 230 V
- Power and Current: 161 W, 1.34 A @ 120 V, 60 Hz
- Power and Current: 141 W, 0.72 A @ 208 V, 60 Hz
- Power and Current: 139 W, 0.62 A @ 230 V, 50 Hz

Certifications / Qualifications

- CE, MET
- IP Rating: IP20, dry location

What's Included

- Rouge R1 Wash
- [Neutrik powerCON power cord](#)
- Omega bracket with mounting hardware

Optional Accessories

- Professional Clamps: [CTC-50HC](#), [CTC-50HCN](#)
- Safety Cable: [SC-07](#)
- [Neutrik powerCON cables](#)
- [DMX Cables](#)

[Save and Print](#)

Downloads

[Rogue R1 Wash Quick Reference Guide](#)
[Rogue R1 Wash User Manual](#)
[Rogue R1 Wash DMX Chart](#)
[Rogue R1 Wash CAD DWG](#)
[Rogue R1 Wash ShowXpress Profile](#)



[Previous](#)[Next](#)

Related Products



[Rogue R1 Beam](#)



[Rogue R1 Spot](#)



[Rogue R2 Spot](#)



[Rogue R2 Beam](#)



[Rogue RH1 Hybrid](#)



[Rogue R2 Wash](#)



[Rogue R1 FX-B](#)

- [Products](#)
 - [What's New](#)
 - [Moving Heads](#)
 - [Ellipsoids](#)
 - [Fresnels](#)
 - [Static Wash Lights](#)
 - [Pixel Mapping](#)
 - [Strobes & Blinders](#)
 - [UV Technology](#)
 - [Wireless Battery](#)
 - [Exterior](#)
 - [LED Video](#)
 - [Atmospherics](#)
 - [Control & Distribution](#)
 - [Batten & Cyclorama Lights](#)
 - [Accessories](#)
- [News](#)
- [Sales Network](#)
 - [Find CHAUVET Professional](#)
 - [Parts Store](#)
 - [USA Dealer Login](#)
- [Support](#)
 - [Warranty](#)
 - [Downloads](#)
 - [Showroom/Tradeshaw](#)
- [Training & Resources](#)
- [Sister Brands](#)

◦ ILUMINARC

◦ TRUST



STAY IN TOUCH

- [YouTube](#)
- [Facebook](#)
- [Twitter](#)
- [Google+](#)
- [Instagram](#)
- [Subscribe to our RSS Feed](#)

Get Updates
Enter Your Email Address

